(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 17-May 2001 (17.05.2001)

PCT

(10) International Publication Number WO 01/34680 -A1

(51) International Patent Classification7: C08K 5/3415

C08G 77/08,

Fred [US/US]; 54 Albemarie Street, Buffalo, NY 14207 (US). PALYS, Leonard, Henry [US/US]; 204 Red Tail Circle, Eagle, PA 19335 (US). GULLO, Gary, James [US/US]; 48 Oak Hill Road, Barrington, NH 03825 (US).

(21) International Application Number: PCT/US00/30953

(74) Agents: MARCUS, Stanley, A. et al.; Atofina Chemicals, Inc., 2000 Market Street, Philadelphia, PA 19103-3222 (US).

(22) International Filing Date:

9 November 2000 (09.11.2000)

English

(25) Filing Language:

(26) Publication Language:

English

(30) Priority Data:

60/164,488

9 November 1999 (09.11.1999) US

(81) Designated States (national): AU, BR, CA, CN, HU, JP, MX, PL, RU, SG, US.

(84) Designated States (regional): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT. SE, TR).

(71) Applicant (for all designated States except US): ATO-FINA CHEMICALS, INC. [US/US]; 2000 Market Street, Philadelphia, PA 19103-3222 (US).

Published:

With international search report.

(72) Inventors; and

(75) Inventors/Applicants (for US only): NOVITS, Michael,

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



(54) Title: TACK FREE SURFACE CURES OF POLYMERS BY ORGANIC PEROXIDES IN THE PRESENCE OF AIR

(57) Abstract: Compositions are disclosed which comprise mixtures of at least one compound selected from silicone elastomers, bis-, tri- or higher polymaleimides and/or bis-, tri- or higher polycitraconiumides, and at least one compound selected from p-phenylene-diamine based annozonants, sulfur compounds capable of accelerating sulfur vulcanization of polymers capable of being crosslinked by sulfur and polysulfide polymers which when compounded into polymers curable by free radical initiators in the presence of free radical initiators permit substantially tack free surface cure of the polymers by decomposition of the free radical initiator in the presence of molecular oxygen. Compositions containing the above ingredients and at least one free radical initiator, curable compositions containing the combination and processes for making and using the compositions are also disclosed.